

Blood-Stream Infection (CDC)

From: Henderson, Denise [hendersd@karmanos.org]
Sent: Thursday, December 03, 2009 3:55 PM
To: Blood-Stream Infection (CDC)
Subject: Draft CVC Guidelines

The staff at the Karmanos Cancer Center really like the positive pressure caps, specifically the MaxPlus Clear. The learning curve for the staff remains a challenge, but they find the device easy to use. The Center has not experienced an increase in infection or occlusion rates.

Denise Henderson, M.Ed, RN-BC

Nursing Education, Education Specialist
Office: 4100 John R, WC05NE
Phone: 576-8684
Pager: 745-0203/9415
Fax: 576-8425
email: hendersd@karmanos.org

CONFIDENTIALITY NOTICE: This email message and any accompanying data or files is confidential and may contain privileged information intended only for the named recipient(s). If you are not the intended recipient(s), you are hereby notified that the dissemination, distribution, and or copying of this message is strictly prohibited. If you receive this message in error, or are not the named recipient(s), please notify the sender at the email address above, delete this email from your computer, and destroy any copies in any form immediately. Receipt by anyone other than the named recipient(s) is not a waiver of any attorney-client, work product, or other applicable privilege.

Confidentiality Notice: This email message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and/or privileged information. If you are not the intended recipient(s), you are hereby notified that any dissemination, unauthorized review, use, disclosure or distribution of this email and any materials contained in any attachments is prohibited. If you receive this message in error, or are not the intended recipient(s), please immediately notify the sender by email and destroy all copies of the original message, including attachments.